

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | | |
|-------------|---|-----------------|---------------------|
| Applicant: | Rupert Glaser | Examiner: | Unknown |
| Serial No.: | 10/573,361 | Group Art Unit: | 2186 |
| Filed: | March 6, 2007 | Docket: | 1432.131.101/P32351 |
| Title: | PROCESSOR ARRAY, FABRIC STRUCTURE, SURFACE-COVERING STRUCTURE AND METHOD OF TRANSMITTING ELECTRICITY | | |

REQUEST FOR CORRECTED FILING RECEIPT

Office of Initial Patent Examination's
Filing Receipt Corrections
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicant hereby requests correction of the Corrected Filing Receipt with respect to the above-identified patent application. In the Corrected Filing Receipt mailed July 31, 2008, the Correspondence Number as claimed by Applicant are incorrect.

In the Corrected Filing Receipt, the Correspondence Number as claimed by Applicant *reads* as follows:

45782
DICKE, BILLIG & CZAJA, PLLC
FIFTH STREET TOWERS
100 SOUTH FIFTH STREET
MINNEAPOLIS, MN 55402

As evidenced by the Declaration filed March 6, 2007, the Correspondence Number as claimed by Applicant *should read* as follows:

025281
DICKE, BILLIG & CZAJA, PLLC
FIFTH STREET TOWERS
100 SOUTH FIFTH STREET
MINNEAPOLIS, MN 55402

Request for Corrected Filing Receipt

Applicant: Rupert Glaser

Serial No.: 10/573,361

Filed: March 6, 2007

Docket No.: I432.131.101/P32351

Title: PROCESSOR ARRAY, FABRIC STRUCTURE, SURFACE-COVERING STRUCTURE AND METHOD
OF TRANSMITTING ELECTRICITY

Applicant would appreciate the above-identified printing error be corrected and that a new "corrected" Filing Receipt be sent to Applicant's representatives at the address give below.

Respectfully submitted,

Rupert Glaser,

By his attorneys,

DICKE, BILLIG & CZAJA, PLLC

Fifth Street Towers, Suite 2250

100 South Fifth Street

Minneapolis, MN 55402

Telephone: (612) 767-2502

Facsimile: (612) 573-2005

Date: October 17, 2008

PPK:cmj

By: /paulpkempf/

Paul P. Kempf

Reg. No. 39,727